

Safety Data Sheet

Issue Date 27-Dec-2011 Revision Date: 03-Jul-2013 Version 1

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product Identifier

SDS # BE-5022-EU **Product Code** 5022

Product Name Buckeye Liquid Shovel

1.2. Relevant Identified Uses of the Substance or Mixture and Uses Advised Against

Recommended Use Floor finish stripper

1.3. Details of the Supplier of the Safety Data Sheet

<u>Importer</u> <u>REACH Only Representative</u> <u>Supplier</u>

UK Contact TSGE Buckeye International, Inc.

David Pinder, EU General Manager TSGE@TSGEurope.com 2700 Wagner Place

12 Paskin Close Maryland Heights, MO 63043 USA Fradley Village, NR Lichfield

Staffordshire, WS13 8NZ UK

For further information, please contact

Contact Point David Pinder, EU General Manager: 011447788432884

Buckeye International, Inc.: 1-314-291-1900

Email Address info@buckeyeinternational.com

1.4. Emergency telephone number

Emergency Telephone (24 hr) (Medical) 1-651-632-8956 (International)

1-800-303-0441 (North America)

(Transportation) INFOTRAC 1-352-323-3500 (International)

1-800-535-5053 (North America)

SECTION 2: HAZARDS IDENTIFICATION

2.1. Classification of the Substance or Mixture

Regulation (EC) No 1272/2008

Skin corrosion/irritation	Category 1 Sub-category C
Serious eye damage/eye irritation	Category 1

Classification according to 67/548/EEC

Full text of R-phrases: see section 16

Hazard Symbols

C - Corrosive

R-code(s)

Xn;R22 - C;R34

2.2. Label Elements



Signal Word

Danger

Hazard Statements

H314 - Causes severe skin burns and eye damage

Precautionary Statements - EU (§28, 1272/2008)

P280 - Wear protective gloves/protective clothing/eye protection/face protection

P260 - Do not breathe dust/fume/gas/mist/vapors/spray

P271 - Use only outdoors or in a well-ventilated area

P264 - Wash face, hands and any exposed skin thoroughly after handling

P303 + P361 + P353 - IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to

do. Continue rinsing

P310 - Immediately call a POISON CENTER or doctor/physician

P304 + P340 - IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

P312 - Call a POISON CENTER or doctor if you feel unwell

P501 - Dispose of contents/ container to an approved waste disposal plant

2.3. Other Hazards

General Hazards

None known

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.2 Mixtures

Chemical Name	EC No	CAS No	Weight-%	Classification according to 67/548/EEC	Classification according to Regulation (EC) No. 1272/2008 [CLP]	REACH Registration Number
Benzyl alcohol	Present	100-51-6	<15	Xn; R20/22	Acute Tox. 4 (H302) Acute Tox. 4 (H332)	Not determined
Octanoic Acid	Present	124-07-2	<8	=	Skin Corr. 1B (H314)	Not determined
Propylene Glycol Phenyl Ether	Present	770-35-4	<3	-	Eye Irrit. 2 (H319)	Not determined
Sodium hydroxide	Present	1310-73-2	<2	C; R35	Skin Corr. 1A (H314) Skin Corr. 1A (H314) Met. Corr. 1 (H290) Eye Dam. 1 (H318)	Not determined
Borax	-	1303-96-4	<2	Repr.Cat.2; R60-61	Repr. 1B (H360FD)	Not determined

Full text of R-phrases: see section 16

Full text of H- and EUH-phrases: see section 16

SECTION 4: FIRST AID MEASURES

4.1. Description of First Aid Measures

Eye Contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Call

a physician immediately.

Skin Contact Wash off immediately with plenty of water for at least 15 minutes. Get medical attention if

irritation develops or persists.

Inhalation Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a

physician if you feel unwell.

Ingestion Drink 2-3 large glasses of water. Do not induce vomiting. Call a physician. Never give

anything by mouth to an unconscious person.

4.2. Most Important Symptoms and Effects, Both Acute and Delayed

Symptoms Contact may cause irritation and redness. Direct eye contact may cause stinging, tearing

and redness.

4.3. Indication of any Immediate Medical Attention and Special Treatment Needed

Notes to Physician Treat symptomatically. Dermatitis or other pre-existing skin conditions may be aggravated

by overexposure to this product.

SECTION 5: FIREFIGHTING MEASURES

5.1. Extinguishing Media

Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable Extinguishing Media

Not determined

5.2. Special Hazards Arising from the Substance or Mixture

Combustion products may be toxic

Hazardous Combustion

Products

Carbon oxides. Nitrogen oxides (NOx). Oxides of boron.

5.3. Advice for Firefighters

Wear self-contained breathing apparatus and protective suit. Use personal protective equipment as required.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal Precautions, Protective Equipment and Emergency Procedures

Personal Precautions

Use personal protective equipment as required.

For Emergency Responders

Use personal protection recommended in Section 8.

6.2. Environmental Precautions

Collect spillage.

6.3. Methods and Material for Containment and Cleaning Up

Methods for Containment Prevent further leakage or spillage if safe to do so.

Methods for Clean-Up Pick up with mop, wet/dry vac, or absorbent material. Rinse area with clear water and allow

floor to dry before allowing traffic.

6.4. Reference to Other Sections

See Section 13, Disposal Considerations, for additional information.

SECTION 7: HANDLING AND STORAGE

7.1. Precautions for Safe Handling

Advice on Safe Handling

Keep out of the reach of children. Do not breathe dust/fume/gas/mist/vapors/spray. Use only in well-ventilated areas. Use personal protection recommended in Section 8.

General Hygiene Considerations

Handle in accordance with good industrial hygiene and safety practice. Wash hands thoroughly after handling. Wash contaminated clothing before reuse.

7.2. Conditions for Safe Storage, Including any Incompatibilities

Storage Conditions

Keep containers tightly closed in a dry, cool and well-ventilated place. Store at room temperature. Keep container closed when not in use.

7.3. Specific End Use(s)

Risk Management Methods (RMM)

The information required is contained in this Safety Data Sheet.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control Parameters

Exposure Limits

Chemical Name	European Union	United Kingdom	France	Spain	Germany
Sodium hydroxide		STEL: 2 mg/m ³	TWA: 2 mg/m ³	STEL: 2 mg/m ³	
1310-73-2					
Borax		STEL: 15 mg/m ³	TWA: 5 mg/m ³	STEL: 6 mg/m ³	
1303-96-4		TWA: 5 mg/m ³		TWA: 2 mg/m ³	
Component	Italy	Portugal	Netherlands	Finland	Denmark
Benzyl alcohol				TWA: 10 ppm	
100-51-6 (<15)				TWA: 45 mg/m ³	
Sodium hydroxide		Ceiling: 2 mg/m ³		STEL: 2 mg/m ³	Ceiling: 2 mg/m ³
1310-73-2 (<2)				Ceiling: 2 mg/m ³	
Borax		STEL: 6 mg/m ³			TWA: 2 mg/m ³
1303-96-4 (<2)		TWA: 2 mg/m ³			Skin
Chemical Name	Austria	Switzerland	Poland	Norway	Ireland
Benzyl alcohol			TWA: 240 mg/m ³		
100-51-6					
Sodium hydroxide	STEL 4 mg/m ³	STEL: 2 mg/m ³	STEL: 1 mg/m ³	Ceiling: 2 mg/m ³	STEL: 2 mg/m ³
1310-73-2	TWA: 2 mg/m ³	TWA: 2 mg/m ³	TWA: 0.5 mg/m ³		
Borax		STEL: 5 mg/m ³	STEL: 2 mg/m ³	TWA: 5 mg/m ³	TWA: 5 mg/m ³
1303-96-4		TWA: 5 mg/m ³	TWA: 0.5 mg/m ³	STEL: 10 mg/m ³	

8.2. Exposure Controls

Engineering ControlsApply technical measures to comply with the occupational exposure limits.

Personal Protective Equipment

Eye/Face Protection Risk of contact: Wear approved safety goggles.

Hand Protection Rubber gloves.

Skin and Body Protection Normal work clothing (long sleeved shirts and long pants) is recommended. Wear water or

chemical resistant footwear when scrubbing floors.

Respiratory Protection Provide adequate ventilation.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on Basic Physical and Chemical Properties

Physical State Liquid

AppearanceClear blue-green liquidOdorMild scent No fragrance

added

Revision Date: 03-Jul-2013

Color Blue-green Odor Threshold Not determined

Property Values Remarks • Method

 $8.7 \pm 0.2 \text{ (conc)}$

 8.6 ± 0.2 (1:4 dilution)

Melting Point/Freezing Point

Boiling Point/Boiling Range

Not determined
100 °C / 212 °F

Flash Point None

Evaporation Rate 1.0 (Water = 1)

Flammability (Solid, Gas) n/a-liquid

Flammability Limits in Air

Upper Flammability Limits
Lower Flammability Limit
Not applicable
Not applicable
Not determined
Vapor Density
Not determined

Specific Gravity 1.042

Water Solubility Completely soluble Solubility(ies) Not determined **Partition Coefficient** Not determined **Autoignition Temperature** Not determined **Decomposition Temperature** Not determined **Kinematic Viscosity** Not determined **Dvnamic Viscosity** Not determined **Explosive Properties** Not determined **Oxidizing Properties** Not determined

9.2. Other information

SECTION 10: STABILITY AND REACTIVITY

10.1. Reactivity

Not reactive under normal conditions

10.2. Chemical stability

Stable under normal conditions.

Revision Date: 03-Jul-2013

10.3. Possibility of Hazardous Reactions

Hazardous Polymerization

Hazardous polymerization does not occur.

Possibility of Hazardous Reactions

None under normal processing.

10.4. Conditions to Avoid

Keep out of reach of children.

10.5. Incompatible Materials

Chlorine bleach.

10.6. Hazardous Decomposition Products

Carbon oxides. Nitrogen oxides (NOx). Oxides of boron.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1. Information on Toxicological Effects

Acute Toxicity

Product Information

Eye Contact Causes severe eye damage. **Skin Contact** Causes severe skin burns.

The following values are calculated based on chapter 3.1 of the GHS

document

Oral LD50 4,359.00 **UNITS** mg/kg Dermal LD50 6,977.00 **UNITS** mg/kg

Inhalation

Gas 4,667.00 **UNITS** mg/L 10.00 Mist **UNITS** mg/L Vapor 58.70 UNITS mg/L

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Benzyl alcohol	= 1230 mg/kg (Rat)	= 2000 mg/kg (Rabbit)	= 8.8 mg/L (Rat) 4 h
Dipropylene glycol monobutyl ether	= 1620 μL/kg (Rat)	= 5860 μL/kg (Rabbit)	> 2.04 mg/L (Rat) 4 h = 42.1 ppm
			(Rat) 4 h
Octanoic Acid	= 10080 mg/kg (Rat)	> 5 g/kg (Rabbit)	
Propylene Glycol Phenyl Ether	= 2830 mg/kg (Rat)	> 2 g/kg (Rabbit)	
Borax	= 2660 mg/kg (Rat)		
Sodium hydroxide		= 1350 mg/kg (Rabbit)	

Symptoms

Please see section 4 of this SDS for symptoms.

SECTION 12: ECOLOGICAL INFORMATION

12.1. Toxicity

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal

Chemical Name	Algae/aquatic plants	Fish	Crustacea
Benzyl alcohol	35: 3 h Anabaena variabilis mg/L	460: 96 h Pimephales promelas	23: 48 h water flea mg/L EC50
	EC50	mg/L LC50 static 10: 96 h Lepomis	_
		macrochirus mg/L LC50 static	
Octanoic Acid		310: 96 h Oryzias latipes mg/L LC50	170: 24 h Daphnia magna mg/L
		semi-static 110: 96 h Brachydanio	EC50
		rerio mg/L LC50 semi-static	
Sodium hydroxide		45.4: 96 h Oncorhynchus mykiss	
		mg/L LC50 static	

12.2. Persistence and Degradability

Not determined.

12.3. Bioaccumulative Potential

Chemical Name	Partition Coefficient
Benzyl alcohol	1.1
Octanoic Acid	2.92

12.4. Mobility in Soil

Mobility

Not determined.

12.5. Results of PBT and vPvB Assessment

Not determined.

12.6. Other Adverse Effects

Not determined

SECTION 13: DISPOSAL CONSIDERATIONS

13.1. Waste Treatment Methods

Waste from Residues / Unused Products

Disposal should be in accordance with applicable regional, national and local laws and

regulations.

Contaminated Packaging

Improper disposal or reuse of this container may be dangerous and illegal.

SECTION 14: TRANSPORT INFORMATION

Note Please see current shipping paper for most up to date shipping information, including

exemptions and special circumstances

IMDG

14.1 UN/ID No UN1760

14.2 Proper Shipping Name Corrosive liquid, n.o.s. (Octanoic acid, Sodium hydroxide)

14.3 Hazard Class 8
14.4 Packing Group III

14.5

14.6 14.7

RID

14.1 UN/ID No UN1760

14.2 Proper Shipping Name Corrosive liquid, n.o.s. (Octanoic acid, Sodium hydroxide)

14.3 Hazard Class 8
14.4 Packing Group III

14.5

14.6

<u>ADR</u>

14.1 UN/ID No UN1760

14.2 Proper Shipping Name Corrosive liquid, n.o.s. (Octanoic acid, Sodium hydroxide)

14.3Hazard Class814.4Packing GroupIII

14.5 14.6

ICAO (air)

14.1 UN/ID No UN1760

14.2 Proper Shipping Name Corrosive liquid, n.o.s. (Octanoic acid, Sodium hydroxide)

14.3Hazard Class814.4Packing GroupIII

14.5 14.6

<u>IATA</u>

14.1 UN/ID No UN1760

14.2 Proper Shipping Name Corrosive liquid, n.o.s. (Octanoic acid, Sodium hydroxide)

14.3 Hazard Class 8
14.4 Packing Group III

14.5 14.6

SECTION 15: REGULATORY INFORMATION

15.1. Safety, Health and Environmental Regulations/Legislation Specific for the Substance or Mixture

Occupational Illnesses (R-463-3, France)

Chemical Name	French RG number	Title
Benzyl alcohol 100-51-6	RG 84	
Propylene Glycol Phenyl Ether 770-35-4	RG 84	

European Union

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work

, ,

International Inventories

TSCA -

EINECS/ELINCS DSL/NDSL PICCS ENCS IECSC AICS KECL -

Legend

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

PICCS - Philippines Inventory of Chemicals and Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

AICS - Australian Inventory of Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

15.2. Chemical Safety Assessment

No Chemical Safety Assessment has been carried out for this substance/mixture by the supplier

SECTION 16: OTHER INFORMATION

Full text of R-phrases referred to under sections 2 and 3

R22 - Harmful if swallowed

R21 - Harmful in contact with skin

R61 - May cause harm to the unborn child

R60 - May impair fertility

R35 - Causes severe burns

R34 - Causes burns

R20/22 - Harmful by inhalation and if swallowed

Classification Procedure

Calculation method

Issue Date27-Dec-2011Revision Date:03-Jul-2013Revision NoteNew format.

This safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006, as amended by Regulation (EU) No. 453/2010

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet