# Safety Data Sheet



Issue Date: 27-Dec-2011

Revision Date: 16-Jul-2019

Version 3

# Section 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

#### 1.1. Product Identifier

SDS #	BE-5150-EU
Product Code	5150
Product Name	Buckeye Proclaim

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

**Recommended Use** 

Floor sealer Water based

#### 1.3. Details of the Supplier of the Safety Data Sheet

Importer UK Contact Lewis Kirby, EU General Manager 25 Frances Brady Way Kingston Upon Hull HU9 3BW UK

#### REACH Only Representative TSGE TSGE@TSGEurope.com

Supplier Buckeye International, Inc. 2700 Wagner Place Maryland Heights, MO 63043 USA

#### For further information, please contact

Contact Point Email Address 1.4. Emergency telephone number	Lewis Kirby, EU General Manager: +4407792782066 Buckeye International, Inc.: 1-314-291-1900 info@buckeyeinternational.com -
Emergency Telephone (24 hr)	Transportation - INFOTRAC 1-352-323-3500 (International) 1-800-535-5053 (North America) Medical - (International) 1-651-632-8956 (North America) 1-800-303-0441

# Section 2: HAZARDS IDENTIFICATION

#### 2.1. Classification of the Substance or Mixture Regulation (EC) No 1272/2008

This mixture is classified as not hazardous according to regulation (EC) 1272/2008 [GHS]

# 2.2. Label Elements

Product Identifier This mixture is classified as not hazardous according to regulation (EC) 1272/2008 [GHS] Signal Word None

EUH210 - Safety data sheet available on request

#### 2.3. Other Hazards

No information available

# Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

#### 3.2 MIXTURES

Chemical name	EC No	CAS No	Weight-%	Classification according to Regulation (EC) No. 1272/2008 [CLP]	REACH Registration Number
Di(ethylene glycol) ethyl ether	Present	111-90-0	4.6	Not determined	Not determined

#### Full text of H- and EUH-phrases: see section 16

#### Additional Information

Substances without a classification are included, because they have established occupational exposure limits This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

## Section 4: FIRST AID MEASURES

#### 4.1. Description of First Aid Measures

Eye Contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Call a doctor if irritation persists.
Skin Contact	Wash skin with soap and water. If skin irritation persists, call a doctor. Take off contaminated clothing. Wash contaminated clothing before reuse.
Inhalation	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a physician if you feel unwell.
Ingestion	Drink 2-3 large glasses of water. Do NOT induce vomiting. Call a doctor. Never give anything by mouth to an unconscious person.
4.2. Most Important Symptoms and	Effects, Both Acute and Delayed
Symptoms	May cause skin and eye irritation. Contact will cause irritation and redness to exposed areas.
4.3. Indication of any Immediate Me	dical Attention and Special Treatment Needed
Notes to Physician	Treat symptomatically.

# Section 5: FIREFIGHTING MEASURES

#### 5.1. Extinguishing Media

#### Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable Extinguishing Media Not determined.

#### 5.2. Special Hazards Arising from the Substance or Mixture

Combustion products may be toxic.

#### Hazardous combustion products Carbon oxides.

# 5.3. Advice for Firefighters

Wear self-contained breathing apparatus and protective suit. Use personal protective equipment as required.

# Section 6: ACCIDENTAL RELEASE MEASURES

#### 6.1. Personal Precautions, Protective Equipment and Emergency Procedures

#### **Personal Precautions**

Use personal protective equipment as required.

#### For Emergency Responders

Use personal protection recommended in Section 8.

#### 6.2. Environmental Precautions

See Section 12 for additional Ecological Information.

#### 6.3. Methods and Material for Containment and Cleaning Up

Methods for Containment Prevent further leakage or spillage if safe to do so.

Methods for Clean-Up Pick up with mop, wet/dry vac, or absorbent material. Wash spill area with a mild detergent. Rinse affected area with water and allow area to dry before allowing traffic.

#### 6.4. Reference to Other Sections

See Section 13: DISPOSAL CONSIDERATIONS.

# Section 7: HANDLING AND STORAGE

#### 7.1. Precautions for Safe Handling

#### Advice on Safe Handling

Keep out of the reach of children. Use only in well-ventilated areas. Avoid release to the environment. Use personal protection recommended in Section 8.

#### **General Hygiene Considerations**

Handle in accordance with good industrial hygiene and safety practice. Wash hands thoroughly after handling.

#### 7.2. Conditions for Safe Storage, Including any Incompatibilities

#### **Storage Conditions**

Keep containers tightly closed in a dry, cool and well-ventilated place. Keep container closed when not in use. Keep from freezing. Store at room temperature. Do not store above 110°F.

#### 7.3. Specific End Use(s)

**Specific Use(s)** Floor Sealer, Water Based.

#### **Risk Management Methods (RMM)**

The information required is contained in this Safety Data Sheet.

# Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

#### 8.1. Control Parameters

#### **Exposure Limits**

Chemical name	European Union	United Kingdom	France	Spain	Germany
Di(ethylene glycol) ethyl ether	-	-	-	-	TWA: 6 ppm TWA: 35 mg/m <sup>3</sup>
111-90-0					
Chemical name	Austria	Switzerland	Poland	Norway	Ireland
Di(ethylene glycol) ethyl	STEL 24 ppm	STEL: 100 mg/m <sup>3</sup>	-	-	-
ether	STEL 140 mg/m <sup>3</sup>	TWA: 50 mg/m <sup>3</sup>			
111-90-0	TWA: 6 ppm	-			
	TWA: 35 mg/m <sup>3</sup>				

#### 8.2. Exposure Controls

Engineering Controls

Apply technical measures to comply with the occupational exposure limits.

#### **Personal Protective Equipment**

Eye/Face Protection	Risk of contact: Wear approved safety goggles.
Hand Protection	Rubber gloves.
Skin and Body Protection	Suitable protective clothing.
<b>Respiratory Protection</b>	Ensure adequate ventilation, especially in confined areas.

# Section 9: PHYSICAL AND CHEMICAL PROPERTIES

# 9.1. Information on Basic Physical and Chemical Properties

Physical state	Liquid		
Appearance	White opaque solution	Odour	Sweet polymer scent No
Colour	White	Odour Threshold	fragrance added Not determined
Property pH Melting point / freezing point Boiling point / boiling range Flash point Evaporation Rate Flammability (Solid, Gas) Flammability Limit in Air Upper flammability or explosive limits	<u>Values</u> 7.6 ± 0.2 (conc and use dilution) Not determined 100 °C / 212 °F None 1.0 n/a-liquid Not applicable	Remarks • Method Tag Closed Cup (n-BuAc =1)	
Lower flammability or explosive	Not applicable		
limits			
Vapour Pressure	Not determined		
Vapour Density	Not determined		
Relative Density	1.03 Miasihla in watar		
Water Solubility Solubility(ies)	Miscible in water Not determined		
Partition Coefficient	Not determined		
Autoignition temperature	Not determined		
Decomposition temperature	Not determined		
Kinematic viscosity	Not determined		
Dynamic Viscosity	Not determined		
Explosive Properties	Not determined		
Oxidising Properties	Not determined		

# Section 10: STABILITY AND REACTIVITY

#### 10.1. Reactivity

Not reactive under normal conditions.

#### 10.2. Chemical stability

Stable under normal conditions.

#### 10.3. Possibility of Hazardous Reactions

#### **Hazardous Polymerisation**

Hazardous polymerisation does not occur.

#### **Possibility of Hazardous Reactions**

None under normal processing.

#### 10.4. Conditions to Avoid

Keep out of reach of children.

#### 10.5. Incompatible Materials

Acids. Strong alkalis. Heavy metal salts.

#### 10.6. Hazardous Decomposition Products

Carbon oxides.

# Section 11: TOXICOLOGICAL INFORMATION

#### 11.1. Information on Toxicological Effects

#### Acute toxicity

#### Product Information

Inhalation	Do not inhale.
Eye Contact	Avoid contact with eyes.
Skin Contact	Avoid contact with skin.
Ingestion	Do not ingest.

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral)76,945.50 mg/kgATEmix (inhalation-dust/mist)96.92 mg/LUnknown Acute Toxicity

15 % of the mixture consists of ingredient(s) of unknown toxicity.

15 % of the mixture consists of ingredient(s) of unknown acute oral toxicity.

15 % of the mixture consists of ingredient(s) of unknown acute dermal toxicity.

15 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (gas).

15 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (vapour).

15 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (dust/mist).

#### Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Di(ethylene glycol) ethyl ether	= 10502 mg/kg (Rat)	= 9143 mg/kg (Rabbit) = 6 mL/kg	> 5240 mg/m <sup>3</sup> (Rat)4 h
		(Rat) = 4200 µL/kg (Rabbit)	
tributoxyethyl phosphate	= 3 g/kg (Rat)	> 16 mL/kg (Rabbit)	> 6.4 mg/L (Rat)4 h

Skin corrosion/irritation

Not classified.

Serious eye damage/eye irritation Not classified.

Sensitisation	Not classified.
Germ cell mutagenicity	Not classified.
Carcinogenicity	Not classified.
Reproductive toxicity	Not classified.
STOT - single exposure	Not classified.
STOT - repeated exposure	Not classified.
Aspiration hazard	Not classified.

# Section 12: ECOLOGICAL INFORMATION

#### 12.1. Toxicity

The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.

Chemical name	Algae/aquatic plants	Fish	Crustacea
Di(ethylene glycol) ethyl ether		19100 - 23900: 96 h Lepomis	3940 - 4670: 48 h Daphnia magna
		macrochirus mg/L LC50 flow-	mg/L EC50
		through 10000: 96 h Lepomis	-
		macrochirus mg/L LC50 static	
		11400 - 15700: 96 h Oncorhynchus	
		mykiss mg/L LC50 flow-through	
		11600 - 16700: 96 h Pimephales	
		promelas mg/L LC50 flow-through	
		13400: 96 h Salmo gairdneri mg/L	
		LC50 flow-through	

#### 12.2. Persistence and Degradability

Not determined.

#### 12.3. Bioaccumulative Potential

Chemical name	Partition coefficient
Di(ethylene glycol) ethyl ether	-0.8

#### 12.4. Mobility in Soil

#### Mobility

Not determined.

# 12.5. Results of PBT and vPvB Assessment

Not determined.

#### 12.6. Other Adverse Effects

Not determined.

# Section 13: DISPOSAL CONSIDERATIONS

#### 13.1. Waste Treatment Methods

Waste from residues/unused	Disposal should be in accordance with applicable regional, national and local laws and
products	regulations.

**Contaminated Packaging** 

14.2 Proper Shipping Name

Improper disposal or reuse of this container may be dangerous and illegal.

# Section 14: TRANSPORT INFORMATION

Not regulated

<u>RID</u> 14.2	Proper Shipping Name	Not regulated
<u>ADR</u> 14.2	Proper Shipping Name	Not regulated
<u>IATA</u> 14.2	Proper Shipping Name	Not regulated

# Section 15: REGULATORY INFORMATION

#### 15.1. Safety, Health and Environmental Regulations/Legislation Specific for the Substance or Mixture

#### National Regulations

France

#### Occupational Illnesses (R-463-3, France)

Chemical name	French RG number	Title
Di(ethylene glycol) ethyl ether	RG 84	
111-90-0		

#### European Union

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work .

#### Authorisations and/or restrictions on use:

This product does not contain substances subject to authorisation (Regulation (EC) No. 1907/2006 (REACH), Annex XIV) This product does not contain substances subject to restriction (Regulation (EC) No. 1907/2006 (REACH), Annex XVII)

#### Persistent Organic Pollutants

Not applicable

#### Ozone-depleting substances (ODS) regulation (EC) 1005/2009

#### International Inventories

Component	TSCA	DSL/NDSL	EINECS/ELIN CS	PICCS	ENCS	IECSC	AICS	KECL
Ethylene Copolymer Emulsion 67892-91-5(<10)	Х	X	-	-	-	-	-	-
Acrylate Copolymer 63744-68-3 (<5)	Х	X	-	Х	Х	Х	-	-
Di(ethylene glycol) ethyl ether 111-90-0 (4.6)	Х	X	X	Х	Х	Х	Х	X
tributoxyethyl phosphate 78-51-3 ( <3 )	Х	X	Х	Х	Х	Х	Х	Х

## BE-5150-EU - Buckeye Proclaim

#### Legend

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

- DSL/NDSL Canadian Domestic Substances List/Non-Domestic Substances List
- **PICCS** Philippines Inventory of Chemicals and Chemical Substances
- **ENCS** Japan Existing and New Chemical Substances **IECSC** - China Inventory of Existing Chemical Substances
- AICS Australian Inventory of Existing Chemical Substance

**KECL** - Korean Existing and Evaluated Chemical Substances

#### 15.2. Chemical Safety Assessment

No Chemical Safety Assessment has been carried out for this substance/mixture by the supplier.

# Section 16: OTHER INFORMATION

#### Full text of H-Statements referred to under section 3

Not applicable

#### Legend

SVHC: Substances of Very High Concern for Authorisation:

<b>Legend</b> TWA Ceiling	Section 8: EXPOSURE TWA (time-weighted average) Maximum limit value	ONAL PROTECTION STEL (Short Term Exposure Limit) Skin designation				
<b>Classification Procedure</b> Calculation method Expert judgment and weight of evidence determination						
Issue Date:	27-Dec-2011					
Revision Date:	16-Jul-2019					
<b>Revision Note:</b>	Reformulation					

This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2015/830

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet**